



The effect of circuit training on physical fitness and archery accuracy in novice athletes

Susanto ^{1ABCDE}, Siswantoyo ^{1ACD}, Yudik Prasetyo ^{1CE}, Himawan Putranta ^{2ADE}

¹Department of Sport Sciences, Graduate School, Yogyakarta State University, Indonesia

²Department of Educational Sciences, Concentration of Physics Education, Graduate School, Yogyakarta State University, Indonesia

Authors' Contribution: A – Study Design, B – Data Collection, C – Statistical Analysis, D – Manuscript Preparation, E – Funds Collection

Abstract

Introduction: Physical condition is one of the most important factors in supporting archery. the better the physical condition, the better the concentration to support accuracy in archery. Concentration in archery is the ability to target targets accurately. **Purpose:** The purpose of this study was to determine the effect of circuit training on improving physical fitness and archery accuracy in novice athletes. **Materials and Methods:** Participants were 20 novice athletes, aged 10 to 12 years. Quasi-experimental research design, using two group pretest-posttest design. The method of collecting data on physical fitness uses the Indonesian physical fitness test (IPFT) aged 10-12 years and the accuracy test is by shooting arrows at the target. Data analysis used paired sample t-test, to determine differences in variable groups of men and women. The analysis results showed no difference if the significant value was less than 0.05 ($p < 0.05$). Before analyzing the data, a prerequisite test was carried out which included the Shapiro Wilk normality test and the variate homogeneity test using the Levene's test. **Results:** The results showed that there was a significant increase in physical fitness in the male and female groups. Therefore, there was a significant improvement in the accuracy of archery shots in the male and female groups. The study concluded that circuit training is effective for improving physical fitness and archery accuracy in novice athletes.

Keywords: archery; arm strength; endurance; physical fitness; training methods

Address for correspondence: Susanto - Department of Sport Sciences, Yogyakarta State University, Indonesia, email: susanto.2018@student.uny.ac.id

www.physactiv.eu

Received: 11.06.2020; Accepted: 14.10.2020; Published online: 9.06.2021

Cite this article as: Susanto, Siswantoyo, Prasetyo Y, Putranta H. The Effect of Circuit Training on Physical Fitness and Archery Accuracy in Novice Athletes. Phys Activ Rev 2021; 9(1): 100-108. doi: 10.16926/par.2021.09.12

INTRODUCTION

Physical condition is one of the important factors in supporting archery, the better the physical condition, the better concentration and more precise in the accuracy of archery. Concentration in archery is the ability to aim accurately at targets. This integration is very important in archery. In this case both eyes will tell you where to release the arrow. One indicator of good physical condition can be seen from the level of physical fitness. In early childhood 10-12 years have begun in physical coaching, therefore the exercise menu needs to be adjusted to one's age [1]. For early childhood training programs that are provided, use the best training load that is with his own weight, because at that age children are still developing. A very common way to assess the state of physical ability is to determine based on diagnostic tests [2,3]. Based on this problem, it is clear that physical condition especially for beginner athletes is very important. So researchers need to improve the components, strength, endurance of arm muscles, endurance of leg muscles, endurance of finger muscles so that it affects the accuracy of archery. According researchers the factors that influence the style or accuracy of aiming are physical conditions, concentration, and technique [4,5]. The right and correct archery technique is very supportive of optimal performance. With the mastery of proper and correct archery techniques will enable the consistency of archery movements both in training and competition. High technical ability is very helpful in directing arrows to the target. Technical advances around bows and arrows and the availability of new materials have increased the accuracy of aiming and being consistent in archery [6,7].

The training program proposed by JP O'Shea, was carried out with 8 training stations [8,9]. Each training station consists of exercises conducted for 45 seconds, and repetition of the exercise between 15-20 times, rest time at one station, before moving to the next station is 1 minute or less. The training circuit program proposed by ELFox is done 6-15 times the training station [10,11]. One exercise at the station is completed in 30 seconds. The circuit completes between 5-20 minutes, with each station resting period being according to Reneker et al., circuit training is an exercise program consisting of several stations and at each station the athlete performs the type of exercise that has been determined, complete when an athlete has completed training at all stations according to the training dose and a predetermined time, circuit training is usually with an individual load approach, because each individual has different abilities that cannot be compared [12]. This fact gives us an effective concept for carrying out circuit training, which allows alternatives for beginners and advanced participants from the main forms physical demand eg general endurance, maximum strength ility, considered when choosing exercises, every person can have a good time [13,14]. Another opinion about circuit training is a form of exercise consisting of a series of sequential exercises, designed to develop physical fitness and skills related to a particular sport. Several studies so far have examined the effects of adaptive physical activity circuit training programmed to improve cardiorespiratory fitness, strength and balance of leg muscles [15,16]. From various opinions about circuit training, it can be concluded that circuit training is a form of training program consisting of a series of sequential training posts, with the aim of training physical conditions. From various theories about circuit training, by looking at age and physical ability considerations, the circuit training program is made for archery beginners aged 10-12 years with a total of 5 training items, or 5 training stations. One training at the station is completed in 30 seconds. One circuit completes between 5-20 minutes, with a rest period for each station is 15-20 seconds. The following form of circuit training for beginners aged 10-12 years.

Physical fitness is defined as the ability to do work efficiently, without causing significant exhaustion [17,18]. In general what is meant by physical fitness is physical fitness, which is the ability of someone to do their daily work efficiently without arising from excessive fatigue so that they can still enjoy their free time. Fitness training involves the use of physical activity to increase the functional capacity and efficiency of the body. Other outcomes that are generally accepted goals of fitness activities are caloric expenditure, weight management, stress management, social interaction, decreased risk of ill health, enhanced self- image, and feeling good [19,20]. There are several terms used for the same purpose as physical fitness, namely physical fitness, physical ability, physical harmony. All that is intended to translate the original term that is *physical fitness*. A person who is said to be fit is characterized by a body that does not contain much fat tissue, strong bones, strong muscles, and has joints that have good flexibility and high respiratory endurance [21,22]. From

some of the opinions above, it can be concluded that physical fitness is the physical ability of a person in carrying out daily activities without causing significant fatigue, so that he can still do other activities. In addition to traditional forms of daily physical exercise, various types of physical exercise are quite interesting and more interesting than regular forms of exercise [23,24].

Accuracy is defined as a person's ability to make voluntary movements for a purpose, for example in the implementation of shootings (archery). Accuracy is about right on target, for example throwing a ball with a predetermined target. Accuracy is the similarity or closeness of the measurement results to the actual figures or data [25,26]. Regarding the target in the sport of archery in question is how one can shoot the aiming arrow or release the arrow aimed at the target specified in archery. So, accuracy is a follow-up movement carried out by the archer in aiming at the target for the purpose of getting the best score. In addition, aiming with your eyes closed and deliberately concentrating on the follow-up phase of aiming will help. close to the backstop, relax, let the bow shoot, and don't move your bow's hand until far after the arrow impacts the target [27]. Accuracy in the sport of archery means accuracy in directing arrows at the target as precisely as possible, with the hope of getting good results. The accuracy of archery is influenced by several things, including physical condition, technique, and concentration. In archery, concentration plays a very important role, because archery is related to accuracy when aiming arrows at the target. So training and concentration in beginner archery athletes need to be trained so that higher concentration, more confidence and improve aiming accuracy.

METHODS

Participants

The participants are novice athletes aged 10 to 12 years who sit in grade four to grade six elementary school. The participants were divided into two groups, namely the male athlete group and the female athlete group. Novice athletes are children who participate in organized archery training consisting of male athletes (n = 10) and female athletes (n = 10).

This type of research is included in quasi-experimental research. According to Neumark, experimental research is basically testing the relationship between cause and effect [28]. This research will examine the effect of circuit training on increasing physical fitness and accuracy of aiming archery in children aged 10-12 years. The design in this research was to use the one-group pretest-posttest design. According to Ma et al. the one group pretest-posttest design is a type of experiment where a single group pretest-posttest design is a type of experiment where a single group has a pre-experimental evaluation, than the influence of the variable, and finally, a post-experimental evaluation, as can be shown in Figure 1 below [29].

Based on Figure 1, O1 shows the pre test (the initial test), P shows the *treatment* (treatment), and O2 shows the post test (final test). However, this research was conducted at Puro Pakualaman Public Elementary School in Yogyakarta City, Indonesia. The research sample was saturated sampling, all of which were sampled as many as 20 students. In conducting the training circuit the instrument of data collection is to classify the level of physical fitness using the norms of Indonesian physical fitness tests (IPFT) Ages 10-12 years. Data collection techniques to measure physical fitness use the Indonesian Physical Fitness test (IPFT) for children aged 10-12 years, including 40 meters running, bending knees, sit ups, upright jumps and 600 meters running. The data collection technique is to measure the accuracy of archery by firing 36 arrows towards the target target with 12 sessions, each session releasing 3 arrows, where each session has a break of about 3 minutes to 5 minutes. The distance used to shoot the arrows was 20 meters. The score on the highest archery target is 10 points and the lowest is 1 point. The norms details of the Indonesian Physical Fitness test (IPFT) for children aged 10-12 years can be contain in Table 1 below.

Tabel 1. Norms of Indonesian physical fitness tests (IPFT) ages 10-12 years

No	Value	Physical fitness category
1	22-25	Very good
2	18-21	Good
3	14-17	Enough
4	10-13	Less
5	5 - 9	Very less




Figure 1. Design of experiment test

Statistical analysis

The analysis techniques used in this research are as follows Shapiro Wilk normality test and Homogeneity test using Levene's test with F test. Test data conducted in this research are paired sample t-test with the aim of processing interpretation to compare the average of two variables from one sample group by calculating the difference between two variables in each cases of relevance [30]. To find out whether there are differences in the variables between pretest and posttest in the experimental group. Analysis shows there is a difference if the value is significantly less than 0.05 ($p < 0.05$). If using a SPSS 22 computer program with a significant level of 5% or 0.05.

RESULTS

The results of physical fitness tests (IPFT) during the pre-test included that the level of physical fitness; (1) 40% enough categories, (2) 45% less categories, (3) 15 very less categories, can be seen in the following Table 2. The results of physical fitness tests (IPFT) during the posttest included that the level of physical fitness, 15% very good categories, 55% good categories, 30% enough categories, can be seen in the following Table 3. Normality test results for physical fitness variable values and archery scores in the male group for pre-test showed that the physical fitness values were normally distributed ($p=0.799$), archery scores were normally distributed ($p=0.308$).

Table 2. Physical fitness test results during the pre test

No	Physical fitness category	Frequency	Percentage
1	Very good	0	0
2	Good	0	0
3	Enough	8	40%
4	Less	9	45%
5	Very less	3	15%
Total		20	100%

Table 3. Physical fitness test results during the post test

No	Physical fitness category	Frequency	Percentage
1	Very good	3	15%
2	Good	11	55%
3	Enough	6	30%
4	Less	0	0
5	Very less	0	0
Total		20	100%

The post-test showed that the physical fitness values were normally distributed ($p=0.494$) and archery scores were normally distributed ($p=0.815$). While the normality test results on the variable physical fitness values and archery scores in the female group for pre-test showed that the physical fitness values were normally distributed ($p=0.399$), archery scores were normally distributed ($p=0.453$). Middle tests showed that the physical fitness values were normally distributed ($p=0.813$) and the archery scores were normally distributed ($p=0.522$). The post test results give results that the physical fitness value is normally distributed ($p=0.838$) and the archery score is normally distributed ($p=0.705$). Concluded that the data normally distributed can be seen in the following Table 4.

Homogeneity test results for the value of physical fitness variables and archery scores in the group of male and female for the pre-test showed that the physical fitness values of the variance were homogeneous ($p=0.950$), archery scores for the variance were homogeneous ($p=0.507$). Middle test shows that the physical fitness value of the variance is homogeneous ($p=0.425$) and the archery score of the variance is homogeneous ($p=0.154$). Post-test showed that the physical fitness value of the variance was homogeneous ($p=0.769$) and the archery score of the variance was homogeneous ($p=0.831$) concluded that homogeneous data can be seen in the following Table 5.

Table 4 . Normality test results physical fitness scores and archery scores

Group	Variable	Pre test	Middle test	Post test
Male	Physical Fitness	0.799	0.835	0.494
	Archery Score	0.308	0.101	0.815
Female	Physical Fitness	0.399	0.813	0.838
	Archery Score	0.453	0.522	0.705

Table 5 . Homogeneity test results physical fitness scores and archery scores

Group	Variable	F test	p
Pre test	Physical Fitness	0.004	0.950
	Archery Score	0.459	0.507
Middle test	Physical Fitness	0.667	0.425
	Archery Score	2.211	0.154
Post test	Physical Fitness	0.089	0.769
	Archery Score	0.047	0.831

p - statistical significance

Table 6 . Paired sample test results t-test variable IPFT and male group archery scores

Variable	Type of test	Mean	t-test	p
IPFT value	Pre test	11.80	-4.823	0.001
	Middle test	16.70		
	Middle test	16.70	-2.045	0.071
	Post test	18.80		
	Pre test	11.80	-6.641	0.000
	Post test	18.80		
Archery Score	Pre test	145.60	-3.301	0.009
	Middle test	171.80		
	Middle test	171.80	-4.403	0.002
	Post test	204.70		
	Pre test	145.60	-8,245	0.009
	Post test	204.70		

p - statistical significance

Table 7 . Paired sample test results t-test variable IPFT value and female's group archery score

Variable	Type of test	Mean	t test	p
IPFT value	Pretest	13.20	-3,656	0.005
	Middletest	16.70		
	Middletest	16.70	-3,596	0.006
	Posttest	19.80		
	Pretest	13,20	-13,229	0.000
	Posttest	19.80		
Archery Score	Pretest	155.30	-5,608	0.000
	Middletest	187.70		
	Middletest	187.70	-4,231	0.002
	Posttest	214.50		
	Pretest	155.30	-5,591	0.000
	Posttest	214.50		

p - statistical significance

Based on the results of the t test on circuit training is effective against increasing physical fitness and accuracy of aiming archery at male groups. The results of the analysis of the increase in physical fitness showed that $t \text{ count } 6.647 > t \text{ table } 2.262$ with a significant level of $p=0.000 < 0.05$. It turns out that the price of t arithmetic is at the acceptance of H_a , because t arithmetic is greater than t table. Thus the null hypothesis (H_0) is not accepted and H_a which states there is a difference in the level of physical fitness between pretest and posttest is accepted. While the results of an analysis of increasing accuracy in aiming archery that $t \text{ count } 8.245 > t \text{ table } 2.262$ with a significant level of $p=0.009 < 0.05$. It turns out that the price of t arithmetic is at the acceptance of H_a , because t arithmetic is greater than t table. Thus the null hypothesis (H_0) is not accepted and H_a which states there is a difference in the level of accuracy of aiming archery between pretest and posttest is accepted. Thus, it can be concluded that circuit training is effective against increasing physical fitness and accuracy of aiming archery at the male group can be seen in Table 6.

Based on the results of a series of t-test exercises effective in improving physical fitness and accuracy of shooting archery in the women's group. The results of the analysis of the increase in physical fitness obtained $t \text{ count } 13.292 > t \text{ table } 2.262$ with a significant level of $p = 0.000 < 0.05$. It turns out that the price of t count is accepted by H_a , because t count is greater than t table. Thus the null hypothesis (H_0) is not accepted and H_a which states that there is a difference in the level of physical fitness between the pretest and posttest is accepted. While the results of the analysis of the increase in aiming accuracy that $t \text{ count } 5,591 > t \text{ table } 2.262$ with a significant level of $p = 0.000 < 0.05$. It turns out that the price of t count is accepted by H_a , because t count is greater than t table. Thus the null hypothesis (H_0) is not accepted and H_a which states that there is a difference in the accuracy of archery shots between the pretest and posttest is accepted. Thus, it can be concluded that circuit training is effective in improving physical fitness and accuracy of shooting archery in the female group. The components of circuit training that have a big influence on archery accuracy are hanging exercises by bending the knees of the feet, with hanging exercises by bending the knees for a few seconds, the hand muscles become stronger because the hands can hold the weight of the body. Thus, it can be explained that when the hand muscles are stronger, when the hand is about to release the arrow the hand is not prone to fatigue. The following can be seen in Table 7.

DISCUSSION

Based on the results of the t test on circuit training is effective against increasing physical fitness in the group of male. The results of the analysis of increased physical fitness showed a significant level of $p=0.000 < 0.05$. Thus it states there is a significant difference between pretest and posttest, and it is concluded that circuit training is effective in increasing physical fitness in the male group. While the

results of the analysis of increasing accuracy in aiming archery showed a significant level of $p=0.009<0.05$. Thus it states there is a significant difference in the level of accuracy of archery between the pretest and posttest, and it is concluded that circuit training is effective in increasing the accuracy of aiming archery in the group of male. Based on the results of the t test on circuit training is effective against increasing physical fitness in a group of female. The results of the analysis of increased physical fitness showed a significant level of $p=0.000<0.05$. Thus it states there is a significant difference between pretest and posttest, and it is concluded that circuit training is effective in increasing physical fitness in a group of female. While the results of the analysis of increasing accuracy in aiming archery showed a significant level of $p=0.000<0.05$. Thus it states there is a significant difference in the level of accuracy of archery between the pretest and posttest, and it is concluded that circuit training is effective in increasing the accuracy of aiming archery in the group of female.

The results show that, circuit training can improve physical fitness in groups of male and female to have a significant effect on improving physical fitness and improve accuracy in aiming archery. This is because there are several factors that influence it, including the form of training requested by athletes, various forms of enjoyable training, seriousness in doing the exercise, adequate training time, training program. The circuits provided cover all physical fitness components, controlled circuit training. According to the results of survey the level of physical fitness of students in Indonesia is still in the bad category [31]. However, circuit strength training shows significant interaction effects and effect sizes that are relevant for a 12 week training period [32,33]. Strength training must be planned and systematic work during the micro, mezo, and macro cycles over the years of the training plan [34]. The high level of physical fitness of an individual athlete is one of the main factors in achieving sports success [35]. While there was a significant effect on increasing the accuracy of aiming archery in the male group, this also happened in the female group.

For this reason, the form of circuit training programs provided tends to lead to forms of training aimed at increasing muscle fitness and endurance. Other factors that make archery targets with accuracy in male and female groups increase because researchers provide training in between visualization exercises, hoping to help athletes concentrate, because concentration is important in archery accuracy besides physical conditions. From the discussion above, proper circuit training for sports increases muscular endurance, which has been proven by how accurate archery is. From the results of the research and discussion above, circuit training has a significant effect on increasing physical fitness in male and female groups. This is supported by Daniel's statement that circuit training is effective in increasing and maintaining muscle and cardiovascular endurance among school children [36]. Experienced archers show better accuracy and at the same time less heart rate compared to inexperienced archers [37]. This can help physical education teachers design programs that allow students to maintain their muscular and cardiovascular endurance levels. Physical fitness variables have a significant effect on archery productive performance [38]. Standard measures of fitness and ability such as hand grip, vertical jump, standing long jump, static balance, upper muscle strength and muscle strength, these measurements aim to categorize high and low potential archers [39]. That simple field physical fitness test and simple devices such as polar heart rate meter may have an advantage in selecting a good shooter [40]. Based on available research on the importance of physical fitness parameters in target shooting discipline [41].

CONCLUSIONS

Based on the analysis conducted in this research, it can be concluded that: circuit training has a partially significant effect on physical fitness and accuracy of archery aiming at beginner athletes. Furthermore, for further research, the researcher provides suggestions for expanding further in terms of variables such as concentration levels, anxiety levels. Because there are various variables other than circuit training that can affect athlete fitness in improving archery accuracy. For trainers, it is expected to be an evaluation for the future in taking steps, taking into account that by conducting circuit training at a maximum ability of 70-80% can improve archery accuracy, and circuit training methods can be used to improve the physical condition of novice athletes.

REFERENCES

1. Sánchez-Moreno M, Rodríguez-Rosell D, Pareja-Blanco F, Mora-Custodio R, González-Badillo JJ. Movement velocity as indicator of relative intensity and level of effort attained during the set in pull-up exercise. *Int J Sports Physiol Perform* 2017; 12(10): 1378-1384. doi: 10.1123/ijsp.2016-0791
2. Pavlovic R. Evaluation of fitness index and maximal oxygen consumption of students using the UKK 2 km walk test. *J Physic Educ Sport* 2016; 16(1): 269. doi: 10.7752/jpes.2016.01003
3. Juwono I, Szabo A. The efficacy of self determination theory-based interventions in increasing students' physical activity: A systematic review. *Phys Activ Rev* 2020; 8(1): 74-86. doi: 10.16926/par.2020.08.09
4. Palumbo F, La Rosa D, Ferro E, Bacciu D, Gallicchio C, Micheli A, Parodi O. Reliability and human factors in ambient assisted living environments. *J Reliab Intell Environ* 2017; 3(3): 139-157. doi: 10.1007/s40860-017-0042-1
5. Wasik J, Shan G. Target effect on the kinematics of Taekwondo Roundhouse Kick - Is the presence of a physical target a stimulus, influencing muscle-power generation? *Acta of Bioengineering and Biomechanics* 2015; 17(4): 115-120.
6. Hansen JS. Cutting edge and cutting corners: Evolving technology, expanding usership, and responsive solutions in a museum database. *Advan Arch Prac* 2019; 7(3): 234-246. doi: 10.1017/aap.2019.20
7. Vogl GW, Weiss BA, Helu M. A review of diagnostic and prognostic capabilities and best practices for manufacturing. *J Intell Manuf* 2019; 30(1): 79-95. doi: 10.1007/s10845-016-1228-8
8. Clark J, Martin E, Bulka CM, Smeester L, Santos HP, O'Shea TM, Fry RC. Associations between placental CpG methylation of metastable epialleles and childhood body mass index across ages one, two and ten in the extremely low gestational age newborns (ELGAN) cohort. *Epigenetics* 2019; 14(11): 1102-1111. doi: 10.1080/15592294.2019.1633865
9. Molinari V, Edelstein B, Gibson R, Lind L, Norris M, O'Shea Carney K, Hiroto K. Psychologists in long-term care (PLTC) guidelines for psychological and behavioral health services in long-term care settings. *Prof Psycho Rese Prac* 2020. doi: 10.1037/pro0000298
10. Kleber B, Friberg A, Zeitouni A, Zatorre R. Experience-dependent modulation of right anterior insula and sensorimotor regions as a function of noise-masked auditory feedback in singers and nonsingers. *Neuro Image* 2017; 147: 97-110. doi: 10.1016/j.neuroimage.2016.11.059
11. Olsen PØ, Termannsen AD, Bramming M, Tully MA, Caserotti P. Effects of resistance training on self-reported disability in older adults with functional limitations or disability—a systematic review and meta-analysis. *Eur Rev Aging Phys Act* 2019; 16(1): 24. doi: 10.1186/s11556-019-0230-5
12. Reneker JC, Babl R, Pannell WC, Adah F, Flowers MM, Curbow-Wilcox K, Lirette S. Sensorimotor training for injury prevention in collegiate soccer players: an experimental study. *Phys Ther Sport* 2019; 40: 184-192. doi: 10.1016/j.ptsp.2019.09.012
13. Lavie CJ, Ozemek C, Carbone S, Katzmarzyk PT, Blair SN. Sedentary behavior, exercise, and cardiovascular health. *Circulation Research* 2019; 124(5): 799-815. doi: 10.1161/CIRCRESAHA.118.312669
14. Qader MA, Zaidan BB, Zaidan AA, Ali SK, Kamaluddin MA, Radzi WB. A methodology for football players selection problem based on multi-measurements criteria analysis. *Measurement* 2017; 111: 38-50. doi: 10.1016/j.measurement.2017.07.024
15. Mortazavi F, Nadian-Ghomsheh A. Continues online exercise monitoring and assessment system with visual guidance feedback for stroke rehabilitation. *Multimed Tools Appl* 2019; 78(22): 32055-32085. doi: 10.1007/s11042-019-08020-2
16. Ndayisenga J. Circuit training intervention for adaptive physical activity to improve cardiorespiratory fitness, leg muscle strength static and balance of intellectually disabled children. *Sport Mont* 2019; 17(3): 97-100. doi: 10.26773/smj.191019
17. Gorski P, Lopresti-Goodman S, Rising D. "Nobody's paying me to cry": The causes of activist burnout in United States animal rights activists. *Soc Move Studies* 2019; 18(3): 364-380. doi: 10.1080/14742837.2018.1561260
18. Maslach C, Leiter MP. New insights into burnout and health care: Strategies for improving civility and alleviating burnout. *Medical Teacher* 2017; 39(2): 160-163. doi: 10.1080/0142159X.2016.1248918
19. Evans MB, Shanahan E, Leith S, Litvak N, Wilson AE. Living for today or tomorrow? Self-regulation amidst proximal or distal exercise outcomes. *Appl Psycho Health Well Being* 2019; 11(2): 304-327. doi: 10.1111/aphw.12160
20. Zelle DM, Klaassen G, Van Adrichem E, Bakker SJ, Corpeleijn E, Navis G. Physical inactivity: A risk factor and target for intervention in renal care. *Nat Rev Nephrol* 2017; 13(3): 152. doi: 10.1038/nrneph.2016.187
21. Metsios GS, Moe RH, Kitas GD. Exercise and inflammation. *Best Pract Res Clin Rheumatol* 2020; 101504. doi: 10.1016/j.berh.2020.101504

22. Chambers TL, Burnett TR, Raue U, Lee GA, Finch WH, Graham BM, Trappe S. (2020). Skeletal muscle size, function, and adiposity with lifelong aerobic exercise. *J Appl Physiol* 2020; 128(2): 368-378. doi: 10.1152/jappphysiol.00426.2019
23. Chen P, Mao L, Nassis GP, Harmer P, Ainsworth BE, Li F. Wuhan coronavirus (2019-nCoV): The need to maintain regular physical activity while taking precautions. *J Sport Health Sci* 2020; 9(2): 103. doi: 10.1016/j.jshs.2020.02.001
24. Esmail A, Vrinceanu T, Lussier M, Predovan D, Berryman N, Houle J, Bherer L. Effects of dance/movement training vs. aerobic exercise training on cognition, physical fitness and quality of life in older adults: A randomized controlled trial. *J Bodyw Mov Ther* 2020; 24(1): 212-220. doi: 10.1016/j.jbmt.2019.05.004
25. Ebenebe CU, Hesse F, Blohm ME, Jung R, Kunzmann S, Singer D. Diagnostic accuracy of interleukin-6 for early-onset sepsis in preterm neonates. *J Matern Fetal Neonatal Med* 2019; 1-6. doi: 10.1080/14767058.2019.1606194
26. Qianqian Z, Dongliang W. A SVM recommendation IoT model based on similarity evaluation and collaborative filtering of multi-angle knowledge units. *Int J Comp Appl* 2020; 42(3): 278-281. doi: 10.1080/1206212X.2018.1553271
27. Gonzalez CC, Causer J, Grey MJ, Humphreys GW, Miall RC, Williams AM. Exploring the quiet eye in archery using field-and laboratory-based tasks. *Exper Brain Res* 2017; 235(9): 2843-2855. doi: 10.1007/s00221-017-4988-2
28. Neumark D. Experimental research on labor market discrimination. *J Econom Litera* 2018; 56(3): 799-866. doi: 10.1257/jel.20161309
29. Ma CM, Shek DT, Chen JM. Changes in the participants in a community-based positive youth development program in Hong Kong: Objective outcome evaluation using a one-group pretest-posttest design. *Appl Res Quality Life* 2019; 14(4): 961-979. doi: 10.1177/1049731518806579
30. Trindade CC, Trindade BC, Trindade FC, Werner L, Osher R, Santhiago MR. New pinhole sulcus implant for the correction of irregular corneal astigmatism. *J Cataract Refract Surg* 2017; 43(10): 1297-1306. doi: 10.1016/j.jcrs.2017.09.014
31. Battour M, Ismail MN. Halal tourism: Concepts, practises, challenges and future. *Tour Manag Perspect* 2016; 19: 150-154. doi: 10.1016/j.tmp.2015.12.008
32. Arifin S, Retnawati H, Putranta H. Indonesian air force physical tester reliability in assessing one-minute push-up, pull-up, and sit-up tests. *Sport Mont* 2020; 18(2): 89-93. doi: 10.26773/smj.200614
33. Hermassi S, Laudner K, Schwesig R. (2020). The effects of circuit strength training on the development of physical fitness and performance-related variables in handball players. *J Hum Kinet* 2020; 71(1): 191-203. doi: 10.2478/hukin-2019-0083.
34. Kovacevic M. Content analyses of scientific articles from issues published in *Sport Mont Journal* in 2011. *J Anthro Sport Phys Edu* 2018; 2(2): 89-98. doi: 10.26773/jaspe.180416
35. Osipov AY, Nagovitsyn RS, Zekrin FH, Vladimirovna FT, Zubkov DA, Zhavner TV. Crossfit training impact on the level of special physical fitness of young athletes practicing judo. *Sport Mont* 2019; 17(3): 9-12. doi: 10.26773/smj.191014
36. Mayorga-Vega D, Viciano J, Cocca A. Effects of a circuit-training program on muscular and cardiovascular endurance and their maintenance in schoolchildren. *J Hum Kinet* 2013; 37(1): 153-160. doi: 10.2478/hukin-2013-0036
37. Clemente F, Couceiro M, Rocha R, Mendes R. Study of the heart rate and accuracy performance of archers. *J Physic Educ Sport* 2011; 11(4): 434. doi: 10.7752/jpes.2019.04386
38. Suppiah PK, Musa RM, Wong T, Kiet K, Abdullah MR, Bisyr A, Haque M. Sensitivity prediction analysis of the contribution of physical fitness variables on Terengganu Malaysian youth archers' shooting scores. *Int J Pharm Sci Rev Res* 2017; 43(2): 133-139.
39. Taha Z, Musa RM, Majeed APA, Alim MM, Abdullah MR. The identification of high potential archers based on fitness and motor ability variables: A support vector machine approach. *Hum Mov Sci* 2018; 57(4): 184-193. doi: 10.1016/j.humov.2017.12.008
40. Kayihan G, Ersöz G, Özkan A, Koz M. Relationship between efficiency of pistol shooting and selected physical-physiological parameters of police. *Polic Int J Police Strat Manage* 2013; 36(4): 819-832. doi: 10.1108/PIJPSM-03-2013-0034
41. Peljha Z, Michaelides M, Collins D. The relative importance of selected physical fitness parameters in Olympic clay target shooting. *J Hum Sport Exerc* 2018; 13(3): 541-552. doi:10.14198/jhse.2018.133.06